The New Kuwait German Laboratory
مختبر الكويتي الالماني الجديد

The State of Kuwait

Patient Name	: MOHAMMAD A M ALAJMI	Lab ID	: SH
Civil ID	: 296082500257	Patient File	: 456246
Passport No.	: P06499550	Reg Date	: 13-1-2022
Age/sex	: 25/M	Sampling Date	: 09-02-2022 02:51AM
Nationality	: KUWAIT	Result Date	: 09-02-2022 09:18AM
Ref. Drs	: SIDRA HOSPITAL	Serial Number	: SHSH-11-21-040069

MOLECULAR BIOLOGY REPORT

TEST	RESULT
SARS COV-2(COVID 19)	Negative

Sample type : VTM with Nasopharyngeal Swab

SARS COV-2(COVID19) : **Negative**

This test is a qualitative PCR Test. Not detected indicates that SARS-COV-2 RNA is either not present in the specimen or is present at a concentration below the assay lower limit of detection. this result may be influenced by the stage of infection and the quantity of specimen collected for testing.

Negative :

Methodology: Real Time PCR

Remarks:

REAL TIME PCR COVID-19 detection kit is a real time PCR based in Vitro diagnostic Medical device that is designed to detect the infection of Novel Coronavirus SARS COV-2(COVID19) by examination of nucleic acid extracted from nasopharyngeal smears.

Note: Kindly Refer to appropriate Public Health Authorities (MOH)

مختبر الكويتي الالماني الجديد
The New Kuwait German Laboratory

Dr.Nermin Raafat
Doctors Signature